



SMT. KAMALABEN PATEL INSTITUTE OF NURSING EDUCATION

AT - KUMBHARI, TAL. SOUTH SOLAPUR, DIST, SOLAPUR.

Ph. No.: 0217 - 2280891- 97 Fax No. 0217 - 2280791

Email : skpione2011@gmail.com website : www.kamalanursingcollege.org



Ref. No. SKPIONE/SUR/ 232 /20 26

Annexure-V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026– 2027

Clinical Material in Hospital

Name of College/Institute: SMT. Kamalaben Patel Institute of Nursing Education,
Faculty: Nursing Kumbhari, Solapur.

HOSPITAL DETAILS

Sr. No	Particulars to be verified	Particular	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site		Adequate 800
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		Adequate
b.	Student Bed Ratio for UG&PG to be verified: (As per MSR) 1:3		Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)		82.2%
d.	Clinical facilities for PG to be verified : (As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		Yes 1353 10 03
<ul style="list-style-type: none"> •As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any documents. • In case of "Inadequate", it must be mark as "Inadequate" with evidence. 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any other please Specify

Date:-

Chairman of LIC

Member Of LIC

Dean/ Principal Stamp & Signature

Ratna
Principal
Smt. Kamalaben Patel Institute,
Of Nursing Education Kumbhari,
Solapur
Member Of LIC

M.M. PATEL PUBLIC CHARITABLE TRUST'S
ASHWINI RURAL MEDICAL COLLEGE, HOSPITAL & RESEARCH CENTER - KUMBHARI

Bed Distribution

Sr.No.	Department	Total Beds	Male	Female
1	GENERAL MEDICINE	150	90	60
2	PEDIATRICS	80	40	40
3	Skin and VD	70	40	30
4	PSYCHIATRY	15	10	5
5	GENERAL SURGERY	150	90	60
6	ORTHOPAEDICS	60	30	30
7	OPHTHALMOLOGY	30	15	15
8	ENT	30	15	15
9	OBGY	80	0	80
10	TB & Chest	5	3	2
11	CARDIOLOGY	20	10	10
12	Casualty	30		
13	All ICU	42		
14	Pre- OP	11		
15	Post- OP	22		
16	Labour ROOM	5		
	Total	800		

Principal
Smt. Kamalaben Patel Institute
Of Nursing Education Kumhari,
Solapur



आरोग्य विभाग जिल्हा परिषद, सोलापूर.

प्रपत्र - सी
(नियम - 5 अन्वये)

महाराष्ट्र शुश्रूषा-गृह नोंदणी अधिनियम 1949 (सुधारित नियम 2021) चे कलम 5 अन्वये



नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, डॉ. श्री सुहास श्रीपाद कुलकर्णी
M.S.

शैक्षणिक अर्हता यांची, महाराष्ट्र शुश्रूषा-गृह नोंदणी अधिनियम 1949 खाली आरोग्य संस्थेचे
नांव आश्विनी ग्रामीण वैद्यकीय महाविद्यालयता मु. पो. कुंभारी तालुका द. सोलापूर
रुग्णालय व अशासक. केंद्र.
जिल्हा - सोलापूर. नर्सिंग होम कायद्यांतर्गत नोंदणी करण्यात आलेली आहे. आणि सदर रुग्णालय/दवाखाना नर्सिंग होम
चालविणेसाठी त्यांना हे प्रमाणपत्र देण्यात येत आहे.

प्रसुतीसाठी :- ८० कॉटस

इतर रुग्णासाठी :- ५२० कॉटस

नोंदणी क्र.:- १/२०२०


नोंदणीची दिनांक :- ११/६/२०२०

ठिकाण :- सोलापूर.

प्रमाणपत्र दिल्याची तारीख:- १०/१०/२०२३ते

३१/३/२०२५ पर्यंत कार्यवाहीत राहिल.

नोंदणी अधिकारी
तथा जिल्हा आरोग्य अधिकारी
जिल्हा परिषद, सोलापूर.



पुढील नुतनीकरण

पासून	पर्यंत	चलन नं. व दि.	जि.आ.अधि. सही
०१/०५/२०२५	३१/३/२०२८	५८२/११-३-२५	
१/२०२	३१/३/२०२		
१/१	१/१		

बरील नोंदणी प्रमाणपत्र हे खालील अटी व शर्तीच्या अधिन राहून देण्यात येत आहे.

- नोंदणी प्रमाणपत्र हॉस्पिटलच्या / दवाखान्याच्या दर्शनी भागात दिसेल अशा ठिकाणी लावणे बंधनकारक आहे.
- आपल्या आरोग्य संस्थेत दाखल संसर्गजन्य रुग्णाची माहिती (Notifiable Diseases) संबंधीत प्राथमिक आरोग्य केंद्र/उपकेंद्र/ग्रामिण रुग्णालयास कळविणे बंधनकारक आहे.
- जन्म - मृत्यू नोंदी संबंधीत ग्रामपंचायतीस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- कुटूंब कल्याण (पु/स्त्री) शस्त्रक्रिया आपल्याकडे झाल्यास त्यांची आकडेवारी संबंधीत प्राथमिक आरोग्य केंद्रास कळविणे आपल्यावर बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ मुंबई नर्सिंग मिडवाईफस अँड हेल्थ व्हिजीटर्स अँक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर नोंदणी देण्यात आलेली आहे.
- बायोमेट्रीकल वेट नियम १९९८ क्र. ३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.
- आपल्या संस्थेत अग्निशमन प्रतिबंधक कायद्यांतर्गत योग्य त्या उपाय योजना करून अग्निशामक साधने, प्रशिक्षित कर्मचारी आणि संपूर्ण बांधकाम विद्युत लेखापरिक्षण करणे आपल्यावर बंधनकारक आहे.
- सदर आरोग्य संस्थेत महाराष्ट्र शुश्रूषा-गृह नोंदणी (सुधारित नियम २०२१) अधिनियम चे कलम ५ अन्वये उल्लंघन झाल्याचे आढळून आल्यास हे नोंदणी प्रमाणपत्र रद्द करण्यात येऊन आपणांवर पुढील कारवाई करण्यात येईल. याची नोंद घ्यावी.

15300



महाराष्ट्र MAHARASHTRA

2023

95AA 639479

सोलापूर अनु.क्र.नं. 90002 दि. 23/10/24
श्री. श्रीमती कमलाबेन पटेल इन्स्टिट्यूट ऑफ नर्सिंग
यांनी रुपये 100/- चा जनरल स्टॅम्प मागितलेवरून राज्यकेशन
या रुपये 100/- चा स्टॅम्प व भरतीस कुंभारी
चा जनरल स्टॅम्प स्पे.
या कारणांकरिता दिले इस्तो
कमला निशे

कोषागार कार्यालय सोलापूर
06 JUN 2024
मुद्रांक प्रमुख लिपिक/उपलेखा



बस.आर.मेरगु

विक्रेता सोलापूर कोड नं. 2511005
मो. नं. 9822186909

Noted and Registered
Serial No 15300
Date 24 OCT 2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

PRINCIPAL, SMT. KAMALABEN PATEL INSTITUTE OF NURSING EDUCATION
Gat. No. 261/262, At Post – Kumbhari, Tal – south Solapur, District – Solapur .

AND
DEAN, ASHWINI RURAL MEDICAL COLLEGE, HOSPITAL & RESEARCH CENTER,
Gat. No. 261/262, At Post – Kumbhari, Tal – south Solapur, District – Solapur .



BASAVRAJ L. SAVALGI
NOTARY SOLAPUR
GOVT. OF INDIA
Page No.....1.....Dt.....

24 OCT 2024

Affiliation for utilization of Hospital for Nursing Students (Patient Hospital)

This DEED OF AGREEMENT is made on this 23 October 2024 between Principal, Smt. Kamalaben Patel Institute of Nursing Education, Gat No. 261/262, At – Post – Kumbhari, South Solapur, District – Solapur.

(HERE IN AFTER CALLED THE FIRST PARTY)

AND

Dean, Ashwini Rural Medical College, Hospital & Research Center, Gat No. 261/262, At – Post – Kumbhari, South Solapur, District – Solapur.

(HERE IN AFTER CALLED THE SECOND PARTY)

1. The first party can be utilize second party's hospital as an affiliated hospital for the nursing students of first party for their clinical experience.
2. The second party is having 800 bedded hospital. The types and numbers of beds are as follows –

Sr. No.	Departments	Number of beds
1.	General Medicine	150
2.	Pediatrics	90
3.	Skin & VD	32
4.	Psychiatry	15
5.	General Surgery	150
6.	Orthopedics	90
7.	Ophthalmology	36
8.	ENT	36
9.	OBGY	120
10.	TB & Chest	5
11.	Cardiology	15
12.	Casualty (24+6)	30
13.	ALL ICU	30
	Total	800

3. This MOU will be For lifetime with consent of both parties. (Patient Hospital)
4. Video shooting permission during inspection (MUHS,INC,MNC)
5. Permission to conduct practical examination of (MUHS).

BASAVRAJ L SAVALGI
NOTARY SOLAPUR
GOVT. OF INDIA
Page No.....Dt.....

24 OCT 2024



6. Permission to demonstrate the procedure.
7. Posting timing for internship shift wise (8 hrs duty on rotation basis).
8. Permission for integrated posting and research project activities.
9. Permission for integrated posting and research project activities.

24 OCT 2024



[Handwritten Signature]

On behalf of first party
Principal
 Smt. Kamalaben Patel Institute
 Nursing Education, Kumbhari



[Handwritten Signature]

On behalf of first party
Dean
 Ashwini Rural Medical College
 Hospital & Research Center
 Kumbhari

Witness :-

1. Mr. Amol. V. Bhandare

[Handwritten Signature]

2. Mr. Mahesh. S. Modane


[Handwritten Signature]

1. Umakant Ramchandra D.

[Handwritten Signature]

2. Balaji Pandurang Ali

[Handwritten Signature]



BEFORE ME

BASAVRAJ L. SAVALGI
 NOTARY GOVT OF INDIA
 SOLAPUR

.....
 Signed before me who identified

 Noted and Registered
 at Serial No..... Date.....

24 OCT 2024

BASAVRAJ L. SAVALGI
 NOTARY SOLAPUR
 GOVT. OF INDIA

Page No.....Dt.....

24 OCT 2024



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010700/4010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000243345/CO/2508003783

Date:
29/08/2025

To,
M M Patel Public Charitable Trust's Ashwini Rural
Medical College, Hospital and Research Center,
Gat No. 261-262 (1-7), Kumbhari,
South Solapur, Dist: Solapur.
Email: mmpateltrust@gmail.com
Contact No.:9960447464



LIFE
Lifestyle for
Environment
Your Service is Our Duty



लोकसेवा हक्क कायदा
Right to Public Service Act

Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Previous Combine Consent and Bio-Medical Authorization granted by the Board vide Format1.0/CAC/UAN No.MPCB-CONSENT-0000139594/CR/2309002318 dtd: 28/09/2023
 2. The minutes of Consent Appraisal Committee meeting dated 20.05.2025
 3. Show Cause Notice for refusal of CCA vide dtd. 30.05.2025
 4. Reply submitted of Show Cause Notice for refusal of CCA via mail on 7.06.2025 & 4.07.2025
 5. The minutes of Consent Appraisal Committee meeting dated 14.08.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-05-2025** To **31-05-2026**
2. The capital investment of the HCF is **₹7813.69** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area HCF Area : - Plot Area 110100.00 M² with Built-up area 30382.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **560 Nos.** (As per BNH certificate no. 9 2010 valid upto 31-03-2028)

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 256 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	10	Kg/Day	CHWTSDF

8. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Dry Waste	150	Kg/Day	Segregation	Dry Garbage is handed over to Authorized Dealer for further treatment
2	Wet Waste	250	Kg/Day	OWC followed by composting facility	Used as Manure
3	STP Sludge	36	Kg/Day	Drying	Used as Manure
4	ETP Sludge	1	Kg/Day	Drying	Used as Manure

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.

2. You shall segregate and handover BMW to BMW T&D CTF **S S SERVICES Solapur, Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. HCE shall obtain the Environment Clearance within next 6 Months.
19. HCE shall comply with EIA Notification 2006 and its further amendments.
20. HCE shall not take any effective operational steps towards expansion of beds
21. HCE shall provide separate ETP of adequate capacity within 3-month period. BG of Rs. 2.0 Lakh shall be submitted for the compliance of the same.
22. HCE shall renew the membership of CBMWTF, CHWTDF and BNHR certificate before to expiry period regularly.
23. This combined Consent to operate and BMW Authorization is issued without prejudice to the order passed or being passed by the Hon'ble CJM Solapur Court Case in the matter of 873/2022
24. HCE shall not carry out any expansion in the beds and Building construction without Consent of the Board and without Environmental Clearance wherever it applicable.
25. HCE shall obtain membership of CHWTDF for disposal of 35.3-Hazardous waste within 3 months period.

26. This combined Consent to Operate and BMW Authorization is issued purely from an environmental perspective, without prejudice to any ongoing or future court cases. All other applicable permissions and NOCs shall be obtained separately.
27. HCE shall obtain NOC from Central Ground water Authority for ground water extraction. Till to obtain the same, HCE shall not use ground water.
28. HCE shall submit BGs as per HCE BG regime.
29. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Dinazg

850dffe5
b29db15b
a7d832ff
3ff4537c
e62b8713
906deaf0
7f314ae1
c5384425

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-08-29 10:59:06 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	400000.00	TXN2504003451	16/04/2025	Online Payment
2	100000.00	TXN2505004610	22/05/2025	Online Payment
3	61097.00	TXN2505004943	22/05/2025	Online Payment

From the above paid fees of Rs. 3,61,097/- is consumed for this application and balance fees of Rs. 2.0 Lakh will be considered at the time of next renewal.

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- He is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO They are directed to shall initiate separate legal action for observed non-compliance & violations.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. CAC Desk - for record & updation purposes.

Annexure - I**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	250.00
3.	Pathology Laboratory, Floor washing, Operation Theater	6.00
4.	Laundry	7.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-


Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	201.6	As per clause 'C'	60% Treated effluent shall be recycled for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening
2	Trade effluent	5.0	As per clause 'C'	On land for gardening after treatment.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
 - F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
 - G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
 - H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.
2. The Board reserves its rights to vary all or any of the condition in this consent if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
 3. Conditions for D.G. Set:
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The extent of insertion loss will be done at different points at 0.5 meters from the enclosure and then average.
 - c. You shall make efforts to bring the noise level due to DG set, outside industrial premises, within ambient noise levels by proper siting and control measures.
 - d. Installation of DG Set must be in accordance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
 4. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set - 500 KVA	Diesel	0.21 Ltr/Hr	4.50

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	60.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	567.00		
		d) Expired or Discarded Medicines	59.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	242.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	13.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
4	Blue	a) Glassware	97.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
		b) Metallic body implants	0.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S S SERVICES Solapur, Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	Towards compliance of CCA	Continuous	200,000.00
1B	Performance		
1	Towards installation of separate ETP	within 3 months	200,000.00
Total			4,00,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

